



# COUNTY ADMINISTRATOR'S REPORT



*Live*




*Learn*



*Work*




*Play*



March 2, 2022

# Pleasant Grove Park Controlled Burn

- **Site prep beginning March 2, 2022**
  - Bulldozing fire lines
- **Control burn scheduled for March**
  - Burn date is weather dependent
  - Meadow C (running along Thomas Jefferson Pkwy) will be burned
- **Control burn will be performed by the Virginia Department of Forestry.**





# Pleasant Grove Trails Currently Closed

Trails closed due to storm damage:

- Horseshoe
- Burke Heights Loop
- Burke Ridge
- Heritage Trail
- (Reds to Beech Grove)



# Announcements and Updates

---

- **Fluvanna County Redistricting**

- The Office of Civil Rights has completed its review of Request for [Certification of No Objection](#) submitted to the Office of the Attorney General of Virginia
  - Fluvanna County is adjusting the boundaries of its five election districts
  - Fluvanna will be changing the location of the central absentee precinct polling place
- “Fluvanna has no majority minority districts. Additionally, the proportion of the majority and minority voters remains at approximately the same levels under the proposed boundaries. The population size of all districts are within 5% of the ideal district”.
- “These changes do not appear to have the purpose or effect of denying or abridging the right to vote based on race or color or membership in a language minority group.....”
- The Attorney General has issued a “Certification of No Objection”.

# Announcements and Updates

---

## AQUA VA Compliance Clarification

- **SOLIDS –**

- The resident states that Aqua's permit allows for a discharge of 5,902lbs. of suspended solids per year. This is **INCORRECT**. The permit allows for **70,825lbs.** annually. It looks like the citizen presented the monthly amount ( $70,825/12=5,902$ ) as the annual. Using that incorrect annual amount gives the exceeding percentages he presented.
- Using the proper annual amount, it appears clear that AQUA has been well below their utilization limits. The highest year was 2018, when they only utilized 26% of the allowable load.

- **BODs (Biochemical Oxygen Demand) –**

- The resident states that AQUA's permit allows for a discharge of 3,517lbs. of BODs per year. This is **INCORRECT**. The permit allows for **40,208lbs.** annually. Again, it seems that the citizen presented the monthly amount ( $40,208/12=3,517$ ) as the annual. Using that incorrect annual amount gives the exceeding percentages he presented.
- The proper annual amounts show 2019, again, as the peak utilization year at 21%.

2021 Data - [https://echo.epa.gov/trends/loading-tool/reports/dmr-pollutant-loading?permit\\_id=VA0024945&year=2021](https://echo.epa.gov/trends/loading-tool/reports/dmr-pollutant-loading?permit_id=VA0024945&year=2021)

# Announcements and Updates

---

- **2040 Comprehensive Plan webpage has been posted**
  - <https://www.fluvannacounty.org/planning/page/2040-comprehensive-plan-process>
- **Comprehensive Plan Review Open House**
  - Thursday, March 10th
  - 4:00 pm – 6:00 pm
  - At the Fluvanna County Library - 214 Commons Blvd. Palmyra, VA 22963
- **Any questions? Contact Douglas Miles, Director of Community Development**
  - (434) 591-1910 EXT 1060
  - [dmiles@fluvannacounty.org](mailto:dmiles@fluvannacounty.org)

# Next BOS Meetings

---

Day	Date	Time	Purpose	Location
Wed	Mar 9	7:00 PM	BOS Budget Work Session	Performing Arts Center
Wed	Mar 16	5:00 PM	BOS Budget Work Session – Set Proposed FY23 Budget & CY22 Tax Rates for Advertising	Performing Arts Center
Wed	Mar 16	7:00 PM	Regular Meeting	Performing Arts Center

**Questions?**